



VIET GARDEN CO., Ltd

205 Dao Duy Tu St, Dist. 10, HCM City, Vietnam

Tel: 84-28-3957 4060, Fax: 84-28-3957 4059

Website: www.solenoidvalve.vn

BẢNG GIÁ 2019

VAN SOLENOID - SANLIXIN - CHINA

Giá này chưa bao gồm 10% thuế GTGT và phí vận chuyển.

Model code	Pipe Size	Orifice (mm)	Pressure (bar)	Seals	Body Material	Coil Class	Market Price (VND)
------------	-----------	--------------	----------------	-------	---------------	------------	--------------------

SLP Pilot Operated Series BRASS - Normally Closed

SLP1DF02N1A03	1/8"	3	0~13	NBR	Brass		449,000
SLP1DF02N1A05	1/8"	5	0~4	NBR	Brass		449,000
SLP1DF02N1A06	1/8"	6	0~3	NBR	Brass		449,000
SLP1DF02N1B03	1/4"	3	0~13	NBR	Brass		449,000
SLP1DF02N1B05	1/4"	5	0~4	NBR	Brass		449,000
SLP1DF02N1B06	1/4"	6	0~3	NBR	Brass		449,000
SLP1DF02N1B10	1/4"	10	0~16	NBR	Brass		688,000
SLP1DF02N1BC9	1/4"	10.5	0.1~16	NBR	Brass		641,000
SLP1DF02N1C03	3/8"	3	0~13	NBR	Brass		481,000
SLP1DF02N1C04	3/8"	4	0~8	NBR	Brass		481,000
SLP1DF02N1C05	3/8"	5	0~4	NBR	Brass		527,000
SLP1DF02N1C06	3/8"	6	0~3	NBR	Brass		527,000
SLP1DF02N1C10	3/8"	10	0~16	NBR	Brass		688,000
SLP1DF02N1CC9	3/8"	10.5	0.1~16	NBR	Brass		641,000
SLP1DF02N1C13	3/8"	13	0.5~16	NBR	Brass		779,000
SLP1DF02N1D05	1/2"	5	0~4	NBR	Brass		527,000
SLP1DF02N1D06	1/2"	6	0~3	NBR	Brass		527,000
SLP1DF02N1D10	1/2"	10	0~16	NBR	Brass		688,000
SLP1DF02N1DC9	1/2"	10.5	0.1~16	NBR	Brass		641,000
SLP1DF02N1D13	1/2"	13	0.5~16	NBR	Brass		779,000
SLP1DF02N1E20	3/4"	20	0.5~16	NBR	Brass		870,000
SLP1DF02N1G25	1"	25	0.5~16	NBR	Brass		1,283,000
SLP1DF02N1H35	1 1/4"	35	0.5~16	NBR	Brass		2,474,000
SLP1DF02N1J40	1 1/2"	40	0.5~16	NBR	Brass		2,474,000
SLP1DF02N1K50	2"	50	0.5~16	NBR	Brass		3,711,000

SLP Pilot Operated Series BRASS

SLP1DF02V1A03	1/8"	3	0~13	VITON	Brass	449,000
SLP1DF02V1A05	1/8"	5	0~4	VITON	Brass	449,000
SLP1DF02V1A06	1/8"	6	0~3	VITON	Brass	449,000
SLP1DF02V1B03	1/4"	3	0~13	VITON	Brass	449,000
SLP1DF02V1B05	1/4"	5	0~4	VITON	Brass	449,000
SLP1DF02V1B06	1/4"	6	0~3	VITON	Brass	449,000
SLP1DF02V1B10	1/4"	10	0~16	VITON	Brass	688,000
SLP1DF02V1BC9	1/4"	10.5	0.1~16	VITON	Brass	641,000
SLP1DF02V1C03	3/8"	3	0~13	VITON	Brass	481,000
SLP1DF02V1C04	3/8"	4	0~8	VITON	Brass	481,000
SLP1DF02V1C05	3/8"	5	0~4	VITON	Brass	527,000
SLP1DF02V1C06	3/8"	6	0~3	VITON	Brass	527,000
SLP1DF02V1C10	3/8"	10	0~16	VITON	Brass	688,000
SLP1DF02V1CC9	3/8"	10.5	0.1~16	VITON	Brass	641,000
SLP1DF02V1C13	3/8"	13	0.5~16	VITON	Brass	825,000
SLP1DF02V1D05	1/2"	5	0~4	VITON	Brass	527,000
SLP1DF02V1D06	1/2"	6	0~3	VITON	Brass	527,000
SLP1DF02V1D10	1/2"	10	0~16	VITON	Brass	688,000
SLP1DF02V1DC9	1/2"	10.5	0.1~16	VITON	Brass	641,000
SLP1DF02V1D13	1/2"	13	0.5~16	VITON	Brass	825,000
SLP1DF02V1E20	3/4"	20	0.5~16	VITON	Brass	916,000
SLP1DF02V1G25	1"	25	0.5~16	VITON	Brass	1,375,000
SLP1DF02V1H35	1 1/4"	35	0.5~16	VITON	Brass	2,658,000
SLP1DF02V1J40	1 1/2"	40	0.5~16	VITON	Brass	2,658,000
SLP1DF02V1K50	2"	50	0.5~16	VITON	Brass	3,940,000

SLP Pilot Operated Series S.S.316 Normally Closed

SLP1DF02N3A03	1/8"	3	0~13	NBR	SS316	595,000
SLP1DF02N3A05	1/8"	5	0~4	NBR	SS316	641,000
SLP1DF02N3A06	1/8"	6	0~3	NBR	SS316	641,000
SLP1DF02N3B03	1/4"	3	0~13	NBR	SS316	595,000
SLP1DF02N3B05	1/4"	5	0~4	NBR	SS316	641,000
SLP1DF02N3B06	1/4"	6	0~3	NBR	SS316	641,000
SLP1DF02N3BC9	1/4"	10.5	0.1~16	NBR	SS316	870,000

SLP1DF02N3B10	1/4"	8	0~16	NBR	SS316	870,000
SLP1DF02N3C03	3/8"	3	0~13	NBR	SS316	688,000
SLP1DF02N3C04	3/8"	4	0~8	NBR	SS316	688,000
SLP1DF02N3C05	3/8"	5	0~4	NBR	SS316	688,000
SLP1DF02N3C06	3/8"	6	0~3	NBR	SS316	688,000
SLP1DF02N3CC9	3/8"	10.5	0.1~16	NBR	SS316	870,000
SLP1DF02N3C10	3/8"	8	0~16	NBR	SS316	870,000
SLP1DF02N3C13	3/8"	13	0.5~16	NBR	SS316	1,191,000
SLP1DF02N3D05	1/2"	5	0~4	NBR	SS316	688,000
SLP1DF02N3D06	1/2"	6	0~3	NBR	SS316	688,000
SLP1DF02N3DC9	1/2"	10.5	0.1~16	NBR	SS316	870,000
SLP1DF02N3D10	1/2"	8	0~16	NBR	SS316	870,000
SLP1DF02N3D13	1/2"	13	0.5~16	NBR	SS316	1,191,000
SLP1DF02N3E20	3/4"	20	0.5~16	NBR	SS316	1,420,000
SLP1DF02N3G25	1"	25	0.5~16	NBR	SS316	1,786,000
SLP1DF02N3H35	1 1/4"	35	0.5~16	NBR	SS316	3,436,000
SLP1DF02N3J40	1 1/2"	40	0.5~16	NBR	SS316	3,436,000
SLP1DF02N3K50	2"	50	0.5~16	NBR	SS316	5,132,000
SLP1DF02N3F25	Flange Connection	25	0.5~16	NBR	SS316	3,528,000
SLP1DF02N3F32		35	0.5~16	NBR	SS316	5,957,000
SLP1DF02N3F40		40	0.5~16	NBR	SS316	6,552,000
SLP1DF02N3F50		50	0.5~16	NBR	SS316	8,934,000
SLP1DF02N4F65		65	0.5~12	NBR	SS304	10,538,000
SLP1DF02N4F80		80	0.5~12	NBR	SS304	12,371,000
SLP1DF02N4F100		100	0.5~12	NBR	SS304	16,265,000

SLP Pilot Operated Series S.S.316 - Normally Closed

SLP1DF02V3A03	1/8"	3	0~13	VITON	SS316	595,000
SLP1DF02V3A05	1/8"	5	0~4	VITON	SS316	641,000
SLP1DF02V3A06	1/8"	6	0~3	VITON	SS316	641,000
SLP1DF02V3B03	1/4"	3	0~13	VITON	SS316	595,000
SLP1DF02V3B05	1/4"	5	0~4	VITON	SS316	641,000
SLP1DF02V3B06	1/4"	6	0~3	VITON	SS316	641,000
SLP1DF02V3BC9	1/4"	10.5	0.1~16	VITON	SS316	916,000
SLP1DF02V3B10	1/4"	8	0~16	VITON	SS316	916,000
SLP1DF02V3C03	3/8"	3	0~13	VITON	SS316	688,000
SLP1DF02V3C04	3/8"	4	0~8	VITON	SS316	688,000
SLP1DF02V3C05	3/8"	5	0~4	VITON	SS316	688,000

SLP1DF02V3C06	3/8"	6	0~3	VITON	SS316	688,000
SLP1DF02V3CC9	3/8"	10.5	0.1~16	VITON	SS316	916,000
SLP1DF02V3C10	3/8"	8	0~16	VITON	SS316	916,000
SLP1DF02V3C13	3/8"	13	0.5~16	VITON	SS316	1,238,000
SLP1DF02V3D05	1/2"	5	0~4	VITON	SS316	688,000
SLP1DF02V3D06	1/2"	6	0~3	VITON	SS316	688,000
SLP1DF02V3DC9	1/2"	10.5	0.1~16	VITON	SS316	916,000
SLP1DF02V3D10	1/2"	8	0~16	VITON	SS316	916,000
SLP1DF02V3D13	1/2"	13	0.5~16	VITON	SS316	1,238,000
SLP1DF02V3E20	3/4"	20	0.5~16	VITON	SS316	1,466,000
SLP1DF02V3G25	1"	25	0.5~16	VITON	SS316	1,879,000
SLP1DF02V3H35	1 1/4"	35	0.5~16	VITON	SS316	3,619,000
SLP1DF02V3J40	1 1/2"	40	0.5~16	VITON	SS316	3,619,000
SLP1DF02V3K50	2"	50	0.5~16	VITON	SS316	5,360,000
SLP1DF02V3F25	Flange Connection	25	0.5~16	VITON	SS316	3,619,000
SLP1DF02V3F32		35	0.5~16	VITON	SS316	6,185,000
SLP1DF02V3F40		40	0.5~16	VITON	SS316	6,780,000
SLP1DF02V3F50		50	0.5~16	VITON	SS316	9,163,000
SLP1DF02V4F65		65	0.5~12	VITON	SS304	10,996,000
SLP1DF02V4F80		80	0.5~12	VITON	SS304	12,828,000
SLP1DF02V4F100		100	0.5~12	VITON	SS304	16,723,000

SLP Pilot Operated Series BRASS - Normally Open

SLP2DF02N9A01	1/8"	1	0~30	NBR	Brass	641,000
SLP2DF02N9AC2	1/8"	1.5	0~20	NBR	Brass	641,000
SLP2DF02N9AC3	1/8"	2.5	0~15	NBR	Brass	641,000
SLP2DF02N9A03	1/8"	3	0~12	NBR	Brass	641,000
SLP2DF02N1A03	1/8"	3	0~6	NBR	Brass	641,000
SLP2DF02N9A04	1/8"	4	0~5	NBR	Brass	641,000
SLP2DF02N9B01	1/4"	1	0~30	NBR	Brass	641,000
SLP2DF02N9BC2	1/4"	1.5	0~20	NBR	Brass	641,000
SLP2DF02N9BC3	1/4"	2.5	0~15	NBR	Brass	641,000
SLP2DF02N9B03	1/4"	3	0~12	NBR	Brass	641,000
SLP2DF02N1B03	1/4"	3	0~6	NBR	Brass	641,000
SLP2DF02N9B04	1/4"	4	0~5	NBR	Brass	641,000
SLP2DF02N1C13	3/8"	13	0.5~8	NBR	Brass	1,054,000
SLP2DF02N1D13	1/2"	13	0.5~8	NBR	Brass	1,054,000
SLP2DF02N1E20	3/4"	20	0.5~8	NBR	Brass	1,191,000

SLP2DF02N1G25	1"	25	0.5~8	NBR	Brass	1,511,000
SLP2DF02N1H35	1 1/4"	35	0.5~8	NBR	Brass	2,749,000
SLP2DF02N1J40	1 1/2"	40	0.5~8	NBR	Brass	2,749,000
SLP2DF02N1K50	2"	50	0.5~8	NBR	Brass	3,986,000
SLP2DF02V1C13	3/8"	13	0.5~8	VITON	Brass	1,100,000
SLP2DF02V1D13	1/2"	13	0.5~8	VITON	Brass	1,100,000
SLP2DF02V1E20	3/4"	20	0.5~8	VITON	Brass	1,238,000
SLP2DF02V1G25	1"	25	0.5~8	VITON	Brass	1,604,000
SLP2DF02V1H35	1 1/4"	35	0.5~8	VITON	Brass	2,933,000
SLP2DF02V1J40	1 1/2"	40	0.5~8	VITON	Brass	2,933,000
SLP2DF02V1K50	2"	50	0.5~8	VITON	Brass	4,215,000

SLP Pilot Operated Series S.S.316 - Normally Open

SLP2DF02N5A01	1/8"	1	0~30	NBR	SS316	825,000
SLP2DF02N5AC2	1/8"	1.5	0~20	NBR	SS316	825,000
SLP2DF02N5AC3	1/8"	2.5	0~15	NBR	SS316	825,000
SLP2DF02N5A03	1/8"	3	0~12	NBR	SS316	825,000
SLP2DF02N3A03	1/8"	3	0~6	NBR	SS316	825,000
SLP2DF02N5A04	1/8"	4	0~5	NBR	SS316	825,000
SLP2DF02N5B01	1/4"	1	0~30	NBR	SS316	825,000
SLP2DF02N5BC2	1/4"	1.5	0~20	NBR	SS316	825,000
SLP2DF02N5BC3	1/4"	2.5	0~15	NBR	SS316	825,000
SLP2DF02N5B03	1/4"	3	0~12	NBR	SS316	825,000
SLP2DF02N3B03	1/4"	3	0~6	NBR	SS316	825,000
SLP2DF02N5B04	1/4"	4	0~5	NBR	SS316	825,000
SLP2DF02N3C13	3/8"	13	0.5~8	NBR	SS316	1,558,000
SLP2DF02N3D13	1/2"	13	0.5~8	NBR	SS316	1,558,000
SLP2DF02N3E20	3/4"	20	0.5~8	NBR	SS316	1,786,000
SLP2DF02N3G25	1"	25	0.5~8	NBR	SS316	2,154,000
SLP2DF02N3H35	1 1/4"	35	0.5~8	NBR	SS316	3,803,000
SLP2DF02N3J40	1 1/2"	40	0.5~8	NBR	SS316	3,803,000
SLP2DF02N3K50	2"	50	0.5~8	NBR	SS316	5,498,000
SLP2DF02V3C13	3/8"	13	0.5~8	VITON	SS316	1,604,000
SLP2DF02V3D13	1/2"	13	0.5~8	VITON	SS316	1,604,000
SLP2DF02V3E20	3/4"	20	0.5~8	VITON	SS316	1,833,000
SLP2DF02V3G25	1"	25	0.5~8	VITON	SS316	2,291,000
SLP2DF02V3H35	1 1/4"	35	0.5~8	VITON	SS316	3,986,000

SLP2DF02V3J40	1 1/2"	40	0.5~8	VITON	SS316	3,986,000
SLP2DF02V3K50	2"	50	0.5~8	VITON	SS316	5,727,000
SLP2DF02N3F25	Flange connec- tion	25	0.5~8	NBR	SS316	3,940,000
SLP2DF02N3F35		35	0.5~8	NBR	SS316	6,323,000
SLP2DF02N3F40		40	0.5~8	NBR	SS316	6,873,000
SLP2DF02N3F50		50	0.5~8	NBR	SS316	9,163,000
SLP2DF02V3F25	Flange connec- tion	25	0.5~8	VITON	SS316	4,032,000
SLP2DF02V3F35		35	0.5~8	VITON	SS316	6,552,000
SLP2DF02V3F40		40	0.5~8	VITON	SS316	7,148,000
SLP2DF02V3F50		50	0.5~8	VITON	SS316	9,529,000

SLP Series PA+& NBR VITON

2 Way **Normally Closed** Solenoid Valve

SLP1DF02N7C13	3/8"	13	0.5~10	NBR	PA6+GF	506,000
SLP1DF02N7D13	1/2"	13	0.5~10	NBR	PA6+GF	506,000
SLP1DF02N7E20	3/4"	20	0.5~10	NBR	PA6+GF	530,000
SLP1DF02N7G25	1"	25	0.5~10	NBR	PA6+GF	690,000
SLP1DF02N7H35	1 1/4"	35	0.5~10	NBR	PA6+GF	1,059,000
SLP1DF02N7J40	1 1/2"	40	0.5~10	NBR	PA6+GF	1,059,000
SLP1DF02V7C13	3/8"	13	0.5~10	NBR	PA6+GF	553,000
SLP1DF02V7D13	1/2"	13	0.5~10	VITON	PA6+GF	553,000
SLP1DF02V7E20	3/4"	20	0.5~10	VITON	PA6+GF	576,000
SLP1DF02V7G25	1"	25	0.5~10	VITON	PA6+GF	830,000
SLP1DF02V7H35	1 1/4"	35	0.5~10	VITON	PA6+GF	1,242,000
SLP1DF02V7J40	1 1/2"	40	0.5~10	VITON	PA6+GF	1,242,000

SLP Series PA+& NBR VITON

2 Way **Normally Open** Solenoid Valve

SLP2DF02N7C13	3/8"	13	0.5~10	NBR	PA6+GF	875,000
SLP2DF02N7D13	1/2"	13	0.5~10	NBR	PA6+GF	875,000
SLP2DF02N7E20	3/4"	20	0.5~10	NBR	PA6+GF	898,000
SLP2DF02N7G25	1"	25	0.5~10	NBR	PA6+GF	1,060,000
SLP2DF02N7H35	1 1/4"	35	0.5~10	NBR	PA6+GF	1,430,000
SLP2DF02N7J40	1 1/2"	40	0.5~10	NBR	PA6+GF	1,430,000
SLP2DF02V7C13	3/8"	13	0.5~10	NBR	PA6+GF	920,000
SLP2DF02V7D13	1/2"	13	0.5~10	VITON	PA6+GF	920,000
SLP2DF02V7E20	3/4"	20	0.5~10	VITON	PA6+GF	9,423,000

SLP2DF02V7G25	1"	25	0.5~10	VITON	PA6+GF	1,196,000
SLP2DF02V7H35	1 1/4"	35	0.5~10	VITON	PA6+GF	1,610,000
SLP2DF02V7J40	1 1/2"	40	0.5~10	VITON	PA6+GF	1,610,000

ĐIỀU KHOẢN BẢO HÀNH

1. Thời gian bảo hành : 2 năm từ ngày mua hàng.
2. Điều kiện bảo hành :
 - * Thiết bị hư hỏng do lỗi của nhà sản xuất.
 - * Tem bảo hành còn nguyên vẹn. Thiết bị chưa tháo ráp, sửa chữa.
3. Địa chỉ bảo hành : 205 Đào Duy Từ, phường 6, quận 10, TPHCM.
Kết quả bảo hành được phản hồi trong 07 ngày làm việc.
4. Hàng đã mua, miễn trả lại nếu không do lỗi của nhà sản xuất.